SAFETY DATA SHEET

1. Identification

Product identifier	155G JIG701 JIGALOO LT 12	РК	
Other means of identification	1000015505		
Product code	1000015585		
Recommended use	Cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/I	Distributor information		
Manufacturer			
Company name	JIG-A-LOO INC.		
Address	316-2 KNOWLTON RD.		
	KNOWLTON, QC J0E 1V0		
	Canada		
Telephone	General Assistance	1-855-544-2566	
E-mail	Not available.		
Emergency phone number	Emergency - US	1-866-836-8855	
	Emergency - Outside US	1-952-852-4646	
Supplier	Not available.		

2. Hazard(s) identification

Label elements

Physical hazards	Flammable aerosols	Category 1
Health hazards	Carcinogenicity	Category 2
l abel elements		



	· · · · · · · · · · · · · · · · · · ·	
Signal word	Danger Extremely flammable aerosol. Suspected of causing cancer.	
Hazard statement		
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	IF exposed or concerned: Get medical advice/a	attention.
Storage	Store locked up. Protect from sunlight. Do not e	expose to temperatures exceeding 50°C/122°F.
Disposal	Dispose of contents/container in accordance w	vith local/regional/national/international regulations.
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
Other hazards	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Methylene Chloride		75-09-2	40 - 70
Perchloroethylene		127-18-4	15 - 40

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	7 - 13
Propane		74-98-6	7 - 13
Other components below	reportable levels		1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Inhalation Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Eve contact Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur. Ingestion Dizziness. Nausea. Most important symptoms/effects, acute and delaved Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation. medical attention and special Symptoms may be delayed. treatment needed IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware General information of the material(s) involved, and take precautions to protect themselves. 5. Fire-fighting measures Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Contents under pressure. Pressurized container may explode when exposed to heat or flame. Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Firefighters must use standard protective equipment including flame retardant coat, helmet with Special protective equipment face shield, gloves, rubber boots, and in enclosed spaces, SCBA. and precautions for firefighters

 Fire fighting
 Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage,	Level 1 Aerosol.
including any incompatibilities	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US. ACGIH Threshold Limit Value Components	Туре	Value	
Isobutane (CAS 75-28-5)	STEL	1000 ppm	
Methylene Chloride (CAS 75-09-2)	TWA	50 ppm	
Perchloroethylene (CAS 127-18-4)	STEL	100 ppm	
	TWA	25 ppm	
Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sc	nedule 1, Table 2)	
Components	Туре	Value	
Methylene Chloride (CAS 75-09-2)	TWA	174 mg/m3	
		50 ppm	
Perchloroethylene (CAS 127-18-4)	STEL	678 mg/m3	
		100 ppm	
	TWA	170 mg/m3	
		25 ppm	
Propane (CAS 74-98-6)	TWA	1000 ppm	
Canada. British Columbia OELs. (Safety Regulation 296/97, as ame		s for Chemical Substances, Occupational Healt	h and
		s for Chemical Substances, Occupational Healt Value	h and
Safety Regulation 296/97, as ame	nded)		h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS	nded) Type	Value	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	nded) Type TWA	Value 25 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	nded) Type TWA STEL TWA	Value 25 ppm 100 ppm 25 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4)	nded) Type TWA STEL TWA	Value 25 ppm 100 ppm 25 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 ⁻	nded) Type TWA STEL TWA 7/2006, The Workplace Safety	Value 25 ppm 100 ppm 25 ppm And Health Act)	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type	Value 25 ppm 100 ppm 25 ppm And Health Act) Value	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type STEL	Value 25 ppm 100 ppm 25 ppm And Health Act) Value 1000 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type STEL TWA	Value 25 ppm 100 ppm 25 ppm And Health Act) Value 1000 ppm 50 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type STEL TWA STEL TWA STEL TWA STEL	Value 25 ppm 100 ppm 25 ppm And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4)	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type STEL TWA STEL TWA STEL TWA	Value 25 ppm 100 ppm 25 ppm And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm	h and
Safety Regulation 296/97, as ame Components Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Manitoba OELs (Reg. 21 Components Isobutane (CAS 75-28-5) Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4) Canada. Ontario OELs. (Control of	nded) Type TWA STEL TWA 7/2006, The Workplace Safety Type STEL TWA STEL TWA STEL TWA STEL	Value 25 ppm 100 ppm 25 ppm And Health Act) Value 1000 ppm 50 ppm 100 ppm 25 ppm 25 ppm	h and

Canada. Ontario OELs. (C Components	Type	-		alue
Perchloroethylene (CAS 127-18-4)	STEL		10	00 ppm
	TWA		25	5 ppm
Canada. Quebec OELs. (I Components	/linistry of Labor - Regu Type			f the Work Environment) alue
Methylene Chloride (CAS 75-09-2)	TWA		17	74 mg/m3
Perchloroethylene (CAS 127-18-4)	STEL) ppm 35 mg/m3
	TWA		17	00 ppm 70 mg/m3 5 ppm
Propane (CAS 74-98-6)	TWA		18	300 mg/m3 000 ppm
ological limit values				
ACGIH Biological Exposu Components	ire Indices Value	Determinant	Specimen	Sampling Time
Methylene Chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*
Perchloroethylene (CAS 127-18-4)	0.5 mg/l	Tetrachloroethy lene	Blood	*
	3 ppm	Tetrachloroethy lene	End-exhaled air	*
* - For sampling details, ple	ease see the source doci	ument.		
propriate engineering ntrols	should be matched or other engineering	to conditions. If app controls to mainta	olicable, use pro in airborne leve	hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilatio els below recommended exposure limits. I irborne levels to an acceptable level.
ividual protection measure Eye/face protection	es, such as personal pr Chemical respirator			ull facepiece.
Skin protection		C 1	C C	
Hand protection	Wear appropriate cl supplier.	nemical resistant gl	oves. Suitable	gloves can be recommended by the glove
Other	Use of an imperviou	is apron is recomm	ended.	
Respiratory protection	Chemical respirator	with organic vapor	cartridge and f	ull facepiece.
Thermal hazards	Wear appropriate th	ermal protective cl	othing, when ne	ecessary.
neral hygiene nsiderations	personal hygiene m	easures, such as w	ashing after ha	n using do not smoke. Always observe go indling the material and before eating, ng and protective equipment to remove
Physical and chemica	I properties			
pearance				
Physical state	Liquid.			
Form	Aerosol.			
Color	Not available.			
or	Not available.			
or threshold	Not available.			
	Not available.			
Iting point/freezing point	Not available.			
ial boiling point and boilin Ige	g 197.02 °F (91.68 °C) estimated		

-156.0 °F (-104.4 °C) Propellant estimated

Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits 10 % estimated Flammability limit - lower 10 % estimated (%) 17.1 % estimated Explosive limit - lower (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - lower (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility(water) Not available. Solubility (water) Not available. Partition coefficient Not available. (n-octanol/water) 1045.81 °F (563.23 °C) estimated Decomposition temperature Not available. Viscosity Not available. Viscosity Not available. Viscosity Not available. Parmability class Flammabile Heat of combustion (NFPA 30B) Oxidizing properties Not oxidizing. Percent volatile 96.97 % estimated Specific gravity 0.455 estimated VOC (Weight %) 97.01 %		Evaporation rate	Not available.
Upper/lower flammability or explosive limitsFlammability limit - lower10 % estimated(%)17.1 % estimatedExplosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)Not available.Solubility (water)Not available.Partition coefficientNot available.(n-octanol/water)1045.81 °F (563.23 °C) estimatedDecomposition temperature1045.81 °F (563.23 °C) estimatedOther informationNot available.ViscosityNot available.Flammability classFlammabile.Flammability (ass)Not available.Other informationFlammabile.Explosive propertiesNot explosive.Flammability classFlammabile.Mather of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated			
Flammability limit - lower (%)10 % estimatedFlammability limit - upper (%)17.1 % estimatedExplosive limit - lower (%) (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Solubility(ies)Not available.Solubility(ies)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature (iscosity1045.81 °F (563.23 °C) estimatedOther informationNot available.Explosive properties Flammability classNot explosive.Flammability class (aug)Flammabile B estimatedHeat of combustion (NFPA 30B)Not oxidizing.Oxidizing properties (aug)Not oxidizing.Percent volatile (specific gravity96.97 % estimated			
(%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Relative density Not available. Solubility(ies) Not available. Solubility(water) Not available. Partition coefficient Not available. (n-octanol/water) 1045.81 °F (563.23 °C) estimated Decomposition temperature Not available. Viscosity Not available. Viscosity Not available. Viscosity Not available. Partition coefficient Not available. Not available. Viscosity Not available. Not available. Not available. Viscosity Not available. Viscosity Not available. Not available. Not available. Viscosity Not available. V		Flammability limit - lower	
Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility(water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationFlammable.Explosive propertiesNot explosive.Flammability classFlammable IB estimatedAeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	· · ·		17.1 % estimated
Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Relative densityNot available.Solubility(ies)Solubility (water)Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationNot available.Explosive propertiesNot explosive.Flammability classFlammable IB estimatedAeat of combustion (NFPA 30B)Not oxidizing.Oxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Explosive limit - lower (%)	Not available.
Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationExplosive propertiesFlammability classFlammable IB estimatedHeat of combustion (NFPA 30B)Not oxidizing.Oxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Explosive limit - upper (%)	Not available.
Relative densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationExplosive propertiesFlammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	,	/apor pressure	Not available.
Solubility (ies)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationNot available.Explosive propertiesNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)Not oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	,	/apor density	Not available.
Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationNot available.Flammability classFlammable IB estimatedFlammability classFlammable IB estimatedMot available.Not available.Oxidizing propertiesNot explosive.Flammability classFlammable IB estimatedMeat of combustion (NFPA 30B)Not oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	I	Relative density	Not available.
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationExplosive propertiesFlammability classNot explosive.Flammability classFlammable IB estimatedMeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	;	Solubility(ies)	
(n-octanol/water)Auto-ignition temperature1045.81 °F (563.23 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.Other informationNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Solubility (water)	Not available.
Decomposition temperatureNot available.ViscosityNot available.ViscosityNot available.Other informationInformationExplosive propertiesNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated			Not available.
ViscosityNot available.Other informationNot explosive.Explosive propertiesNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Auto-ignition temperature	1045.81 °F (563.23 °C) estimated
Other informationExplosive propertiesNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	I	Decomposition temperature	Not available.
Explosive propertiesNot explosive.Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	1	/iscosity	Not available.
Flammability classFlammable IB estimatedHeat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated	(Other information	
Heat of combustion (NFPA 30B)11.16 kJ/g estimatedOxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Explosive properties	Not explosive.
30B)Oxidizing propertiesNot oxidizing.Percent volatile96.97 % estimatedSpecific gravity0.455 estimated		Flammability class	Flammable IB estimated
Percent volatile96.97 % estimatedSpecific gravity0.455 estimated			11.16 kJ/g estimated
Specific gravity 0.455 estimated		Oxidizing properties	Not oxidizing.
		Percent volatile	96.97 % estimated
VOC (Weight %) 97.01 % estimated		Specific gravity	0.455 estimated
		VOC (Weight %)	97.01 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	Hydrogen chloride.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Dizziness. Nausea.	
Information on toxicological effects		

Acute toxicity

Components	Species	Test Results	
Isobutane (CAS 75-28-5)			
Acute			
Inhalation			
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
Methylene Chloride (CAS 75-09-2	2)		
Acute			
Dermal LD50	Rat	2000 mg//rg Dovo	
	nai	> 2000 mg/kg, Days	
Inhalation			
<i>Vapor</i> LC50	Mouse	49000 mg/m3, 7 Hours	
	Mouse	4000 mg/mo, 7 hours	
Oral LD50	Rat	> 2000 mg/kg	
Perchloroethylene (CAS 127-18-4		2000 Hig/kg	
Acute	+)		
Inhalation			
LC50	Dog; Mouse; Rabbit; Rat	3000 ppm	
Oral	-3,,,		
LD50	Cat; Dog; Mouse; Rabbit;	Rat > 1500 mg/kg	
	Rat	3005 mg/kg	
Propane (CAS 74-98-6)			
Acute			
Inhalation	Maura	1007 mm// 100 Minutes	
LC50	Mouse	1237 mg/l, 120 Minutes	
	_	52 %, 120 Minutes	
	Rat	1355 mg/l	
		658 mg/l/4h	
* Estimates for product may I	pe based on additional compo	ent data not shown.	
Skin corrosion/irritation	Prolonged skin contact may		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer		
Skin sensitization	This product is not expecte	to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing canc	r.	
ACGIH Carcinogens	-		
Methylene Chloride (CAS	S 75-09-2)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
Perchloroethylene (CAS 127-18-4)		A3 Confirmed animal carcinogen with unknown relevance to humans.	
Canada - Manitoba OELs: c			
DICHLOROMETHANE (CAS 75-09-2) TETRACHLOROETHYLENE (CAS 127-18-4)		Confirmed animal carcinogen with unknown relevance to humans. Confirmed animal carcinogen with unknown relevance to humans.	
Canada - Quebec OELs: Ca			
Methylene Chloride (CAS 75-09-2) Perchloroethylene (CAS 127-18-4)		Suspected carcinogenic effect in humans. Detected carcinogenic effect in animals.	

IARC Monographs. Overall E	Evaluation of Carcinogenicity	
Methylene Chloride (CAS 75-09-2)		2A Probably carcinogenic to humans.
Perchloroethylene (CAS 127-18-4)		2A Probably carcinogenic to humans.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged exposure may cause chronic effects.	

12. Ecological information

Ecotoxicity

Harmful to	aquatic life with long lasting effects.
i lama te	aquatio mo maniong labiting choole.

Components		Species	Test Results
Vethylene Chloride (CA	AS 75-09-2)		
Aquatic			
Algae	IC50	Algae	500.0001 mg/L, 72 Hours
Crustacea	EC50	Daphnia	1689.5 mg/L, 48 Hours
		Water flea (Daphnia magna)	1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours
Perchloroethylene (CA	S 127-18-4)		
Aquatic			
Crustacea	EC50	Daphnia	7.55 mg/L, 48 Hours
		Water flea (Daphnia magna)	6.1 - 9 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4.82 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient	n-octanol / water (log Kow)	
Isobutane	2.76	
Methylene Chloride	1.25	
Perchloroethylene	3.4	
Propane	2.36	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

TDO	
TDG	
UN number	UN1950
UN proper shipping name	AEROSOLS, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	6.1(PGIII)
Packing group	Not applicable.
Environmental hazards	Not available.
	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, containing substances in Division 6.1, Packing Group III
Transport hazard class(es)	
Class	2.1
Subsidiary risk	6.1(PGIII)
Label(s)	2.1, 6.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10P
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	6.1(PGIII)
Label(s)	2.1+6.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not applicable.

Annex II of MARF OL 73/78 and the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed.

Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
ternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
ternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	03-20-2018
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names